house the Division of Biologics Standards, including its expanded testing and research program, are in progress.

## Recommendation No. 2: Program of the National Foundational for Infantile Baralysis

All namefactures have agreed not to distribute wording for commercial sale until the current vaccine mode of the National Foundation for infantile Paralysis program for first and second grade school children have been zer.

Instructs as several States and cities have postponed completion of succination of first and second grade children until schools respon in the fall, the Foundation program will have to be reschebabled. The Foundation is currently in process of collecting detailed information on the present status and Auture plans of its vaccination program on a State-by-diate basis. This information, when available, will provide a basis for determine than the volunture control works out He one of facet.

As of aby 2, on the basis of incomplete reports, 6,203,503
dillens had received their first injections under the Foundation program, 509,308 of these had second injections. In addition, 18,922 of the
children who participted in the 1954 field trials had received Thouster's
dozen. Arrangements will be made by the Espartment for release of vaccine
for distribution in normal channels under the allocation plan as soon as
it is clear that the current needs of the Foundation can be set.
Tecomorantation No. 3: Priorities

## The National Advisory Committee for Pollomyellits Wacches at its first meeting on May 2 had recommended that the first age group priority be for children 5 through 9, inclusive. Subsequently, the Committee set on Aume 22 and recommended that, when the available supply of vaccine margants excansion of the designated age groups, adjustments be unde by